



An Applera Corporation Business  
850 Lincoln Centre Drive  
Foster City, CA 94404-1128 U.S.A.  
www.appliedbiosystems.com

## FAX TRANSMITTAL

**Date:** November 23, 2004

**To:** Examiner David A. Redding  
Group Art Unit 1744

**Company:** U.S. Patent and Trademark Office

**Fax No.:** 571-273-1276

**Telephone No.:** 571-272-1276

**From:** Cheri Gomez for Phil N. Makrogiannis, Reg. No. 47,766  
Legal Department  
**Fax No.:** 650-638-6677  
**Telephone No.:** 650-638-5039  
**Email:** gomezcn@applera.com

**Subject:** Terminal Disclaimer to Obviate a Double Patenting Rejection  
U.S. Patent Application No. 10/642,418  
Filing Date: August 14, 2003  
In re Application of: Hon Siu SHIN et al.  
Title: Apparatus and Method for Ejecting Sample Well Trays

**Our File:** 4562 C1

**No. of pages (including cover sheet):** 2

---

### Enclosures:

#### Terminal Disclaimer to Obviate a Double Patenting Rejection Over a Prior Patent

I hereby certify that this correspondence is being fax to the United States Patent and Trademark Office to the attention of Examiner David A. Redding at (571) 273-1276 on November 23, 2004.

Cheri Gomez

Name

  
Signature

---

**Note:** The information contained in this facsimile message may be attorney-client privileged and may contain confidential information intended only for the use of the individual named above, and others who have been specifically authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify me immediately by telephone (650) 638-6464 and return the original transmission to me by mail without making a copy. Thank you.